Extra Information

- 1. Working time will be affected when there is a lack of sunshine e.g. cloud cover or shorter days during winter months
- 2. We recommend cleaning the solar panel periodically with a microfibre cloth (not included).

 Don't use abrasive materials as this may affect functionality and finish
 - 3. Please keel these instructions for future use
- 4. Waste electrical products should not be disposed of with household waste Please recycle where facilities exist. Check with your Local Authority or retailer for recycling advice

Customer Services:

www.gardentrading.co.uk +44 (0)1993 845 559 customerservices@gardentrading.co.uk

Opening Hours: Monday - Friday: 8.30am - 5.30pm (Friday close at 5.00pm)

The Garden Trading Company Ltd, Carterton South Industrial Estate, Black Bourton Road, Carterton, Oxon, OX18 3EZ


Garden Trading^{*}

Garden Trading^{*}

Naunton Solar Lantern Installation Instructions

Please read through these instructions and ensure they are kept for future reference.

This light does not require wiring in.



Safety Information


- 1. Do not alter, dismantle or change anything within the solar light, as doing so will void the warranty.
- 2. Do not expose cells or batteries to heat, fire or mechanical shock
- 3. In the event of the cell or battery leaking, so not allow liquid to come into contact with eyes or skin. If contact has been made, wash the affected area with water and seek medical advice.
- 4. Seek medical advice immediately if a cell or battery has been swallowed.
- 5. To avoid damage to concealed wiring using installation, establish location of cables before drilling fixing holes.

Technical Data

- LED colour temperature 3000K
- Rechargeable li-Ion battery
- Brightness Settings: 100/500/1000lm
- Charging time: 8 hours (in sunshine)
- Working time: +10 hours at 100lm

Installation

- Please read through these instructions carefully before installation
 - This fitting is IP44 rated for outdoor use
- Please ensure the light is fitted in a position with enough direct sunlight and is not obscured by plants, roof etc.
- For better performance allow the light to charge in the sun for 8 hours before switching on for the first time
 - Switch off when not in use for prolonged periods of time



Sensitivity of the sensor may be less efficient if it is obscured by a barrier e.g. plants, buildings. The sensor is factory preset, meaning that the angle, distance and brightness cannot be adjusted

